

## List of Contents

### NUMBER 1

- |   |  |
|---|--|
| <b>A. Tutar and N. Kuruoğlu</b>                             | 1 The Steiner formula and the Holditch theorem for the homothetic motions on the planar kinematics                               |
| <b>C. E. English and D. Russell</b>                         | 7 Mechanics and stiffness limitations of a variable stiffness actuator for use in prosthetic limbs                               |
| <b>Chad English and Donald Russell</b>                      | 27 Implementation of variable joint stiffness through antagonistic actuation using rolamite springs                              |
| <b>Y. Zhang and Z. Fang</b>                                 | 41 Analysis of tooth contact and load distribution of helical gears with crossed axes  |
| <b>Albert Castellet and Federico Thomas</b>                 | 59 Characterization of the self-motion set of the orthogonal spherical mechanism   |
| <b>J. I. Pedrero, A. Rueda and A. Fuentes</b>               | 89 Determination of the ISO tooth form factor for involute spur and helical gears  |
| <b>Chen Dar-Zen and Wang Shinn-Chang</b>                    | 105 Dynamic modeling of geared robotic mechanisms—The virtual link approach  |
| <b>F. L. Litvin, Jian Lu, D. P. Townsend and M. Howkins</b> | 123 Computerized simulation of meshing of conventional helical involute gears and modification of geometry                       |
| <b>Sen Dibakar and T. S. Mruthyunjaya</b>                   | 149 A computational geometry approach for determination of boundary of workspaces of planar manipulators with arbitrary topology |

### NUMBER 2

- |   |  |
|---|--|
| <b>Q. Tu and J. Rastegar</b>            | 171 On the inherent characteristics of the dynamics of rigid link robot manipulators   |
| <b>J. K. Davidson and K. D. Chaney</b>  | 193 A design procedure for RPR planar robotic workcells: an algebraic approach   |
| <b>Frederic Boyer and Wisama Khalil</b> | 205 Kinematic model of a multi-beam structure undergoing large elastic displacements and rotations. Part one: model of an isolated beam        |
| <b>Frederic Boyer and Wisama Khalil</b> | 223 Kinematic model of a multi-beam structure undergoing large elastic displacements and rotations. Part two: kinematic model of an open chain |

<b>A. A. Olędzki, I. Siwicki and J. Wiśniewski</b>	243	Impact dampers in application for tube, rod and rope structures
<b>L. Tancredi and M. Teillaud</b>	255	Application de la géométrie synthétique au problème de modélisation géométrique directe des robots parallèles
<b>F. G. Kong, Q. Li and W. J. Zhang</b>	271	An artificial neural network approach to mechanism kinematic chain isomorphism identification
<b>Su Hai Jun, Liao Qi Zheng and Liang Chong Gao</b>	285	Direct positional analysis for a kind of 5-5 platform in-parallel robotic mechanism
<b>Ramahi Ahmed and Tokad Yilmaz</b>	303	On the third-order finite screw system: General displacement of a line
<b>Yan Hong-Sen and Cheng Wen-Teng</b>	319	Curvature analysis of spatial cam-follower mechanisms
	341	Book Review

### NUMBER 3

<b>S. L. Canfield, R. R. Soper and C. F. Reinholtz</b>	345	Velocity analysis of parallel manipulators by truss transformations
<b>G. Legnani, B. Zappa, R. Adamini and F. Casolo</b>	359	A contribution to the dynamics of free-flying space manipulators
<b>D. Chakarov</b>	373	Study of the passive compliance of parallel manipulators
<b>Sen Dibakar and T. S. Mruthyunjaya</b>	391	Synthesis of workspaces of planar manipulators with arbitrary topology using shape representation and simulated annealing
<b>E. Chicurel</b>	421	A 180° steering interval mechanism
<b>Jiegao Wang and Clément M. Gosselin</b>	437	Static balancing of spatial three-degree-of-freedom parallel mechanisms
<b>Der-Ming Ku</b>	453	Direct displacement analysis of a Stewart platform mechanism
<b>Shean-Juinn Chiou and Sridhar Kota</b>	467	Automated conceptual design of mechanisms
<b>F. Bulca, J. Angeles and P. J. Zsombor-Murray</b>	497	On the workspace determination of spherical serial and platform mechanisms

#### NUMBER 4

- |   |     |  |
|---|-----|--|
| <b>Shiva Shankar</b>  | 513 | Singularities in mechanisms II—trajectory tracking in the 3-axis wrist   |
| <b>M. Fayet and J. P. Brossard</b>  | 527 | On the designation of joints   |
| <b>Yong Chen and Jinyuan Fu</b>   | 549 | A computational approach for determining location of Burmester solutions with fully rotatable cranks               |
| <b>J. M. Rico, J. Gallardo and J. Duffy</b>                               | 559 | Screw theory and higher order kinematic analysis of open serial and closed chains                                  |
| <b>Osman Gürsoy and Ahmet Küçük</b>                                       | 587 | On the invariants of trajectory surfaces   |
| <b>G. R. Dunlop and T. P. Jones</b>                                       | 599 | Position analysis of a two DOF parallel mechanism—the Canterbury tracker   |
| <b>Peter Kovács and Günter Hommel</b>                                     | 615 | An algorithm for the kinematic analysis and optimal input joint assignment of recursive mechanisms                 |
| <b>Yong Sheng Zhao, Ling Lu, Tie Shi Zhao, Yong Hui Du and Zhen Huang</b> | 637 | The novel approaches for computing the dynamic load-carrying capacity of multiple cooperating robotic manipulators |
| <b>C. Y. Wang</b>   | 645 | Asymptotic formula for the flexible bar  |
| <b>Herman Bruyninckx</b>  | 657 | Forward kinematics for Hunt–Primrose parallel manipulators   |

#### NUMBER 5

##### Selected Papers from the NATO Advanced Study Institute on Computational Methods in Mechanisms, 16–28 June 1997, in Varna, Bulgaria

- |   |     |   |
|---|-----|---|
| <b>T. E. Shoup</b>                              | vii | Editorial   |
| <b>T. Klisch</b>                                | 665 | Contact mechanics in multibody systems  |
| <b>D. A. Ruth and J. M. McCarthy</b>            | 677 | The design of spherical 4R linkages for four specified orientations                               |
| <b>V. Brodsky and M. Shoham</b>                 | 693 | Dual numbers representation of rigid body dynamics  |
| <b>J. M. Hervé</b>                              | 719 | The Lie group of rigid body displacements, a fundamental tool for mechanism design                |
| <b>F. C. Park, Jihyeon Choi and S. R. Ploen</b> | 731 | Symbolic formulation of closed chain dynamics in independent coordinates                          |
| <b>Q. Sun, I. Sharf and M. Nahon</b>            | 753 | Stability analysis of the force distribution algorithm for flexible-link cooperating manipulators |

- |   |            |   |
|---|------------|---|
| <b>J. L. Escalona, J. Mayo and J. Domínguez</b> | <b>765</b> | A new numerical method for the dynamic analysis of impact loads in flexible beams |
| <b>J. R. Phillips</b>                           | <b>781</b> | Some geometrical aspects of skew polyangular involute gearing                     |
| <b>D. Y. Pogorelov</b>                          | <b>791</b> | On numerical methods of modeling large multibody systems                          |

#### NUMBER 6

- |  |            |  |
|--|------------|--|
| <b>Bhaskar Dasgupta and Prasun Choudhury</b>                           | <b>801</b> | A general strategy based on the Newton-Euler approach for the dynamic formulation of parallel manipulators |
| <b>Jae Won Jeong, Soo Hyun Kim and Yoon Keun Kwak</b>                  | <b>825</b> | Kinematics and workspace analysis of a parallel wire mechanism for measuring a robot pose                  |
| <b>Hajrudin Pasic, R. L. Williams and Chunwu Hui</b>                   | <b>843</b> | A numerical algorithm for solving manipulator forward dynamics   |
| <b>Ying-Chien Tsai and Wern-Kueir Jehng</b>                            | <b>857</b> | A kinematics parametric method to generate new tooth profiles of gear sets with skew axes                  |
| <b>Y. Zheng, Z. Z. Han, P. R. Moore and Q.-H. Max Meng</b>             | <b>877</b> | The design of time-optimal control for two-wheel driven carts catching a target trajectory                 |
| <b>F. L. Litvin, Aoyong Peng and Anngwo Wang</b>                       | <b>889</b> | Limitation of gear tooth surfaces by envelopes to contact lines and edge of regression                     |
| <b>I. Esat and H. Bahai</b>  | <b>903</b> | A theory of complete force and moment balancing of planer linkage mechanisms                               |
| <b>Miomir K. Vukobratović and Veljko Potkonjak</b>                     | <b>923</b> | Dynamics of contact tasks in robotics. Part I: general model of robot interacting with environment         |
| <b>Potkonjak Veljko, Miomir K. Vukobratović and Vladimir Matijević</b> | <b>943</b> | Dynamics of contact tasks in robotics. Part II: case study in dynamics of contact motion                   |

#### NUMBER 7

- |  |            |   |
|--|------------|---|
| <b>L. Mangialardi and G. Mantriota</b> | <b>973</b> | Power flows and efficiency in infinitely variable transmissions                                     |
| <b>Z. Yang and J. P. Sadler</b>        | <b>995</b> | A one-pass approach to dynamics of high-speed machinery through three-node lagrangian beam elements |

- |   |      |  |
|---|------|--|
| <b>P. B. Goldsmith</b>                                      | 1009 | Global asymptotic stability of hybrid position/force control applied to compliant unilateral constraints |
| <b>L.-I. Wu, S.-H. Wu and<br/>H.-S. Yan</b>                 | 1023 | Simplified graphical determination of disk-cam curvature   |
| <b>L. Romdhane</b>  | 1037 | Design and analysis of a hybrid serial-parallel manipulator  |
| <b>J. J. Cervantes-Sánchez<br/>and J. G. Rendón-Sánchez</b> | 1057 | A simplified approach for obtaining the workspace of a class of 2-dof planar parallel manipulators       |
| <b>M. K. Özgören</b>  | 1075 | Kinematic analysis of a manipulator with its position and velocity related singular configurations       |
| <b>K. Wohlhart</b>  | 1103 | Degrees of shakiness   |
| <b>M.-Y. Lee, A. G. Erdman<br/>and S. Faik</b>              | 1127 | A generalized performance sensitivity synthesis methodology for four-bar mechanisms                      |

#### NUMBER 8

- |   |      |  |
|---|------|--|
| <b>V. H. Arakelian and<br/>M. R. Smith</b>                                      | 1141 | Complete shaking force and shaking moment balancing of linkages  |
| <b>Jing Zhao and Shi-Xian Bai</b>   | 1155 | Load distribution and joint trajectory planning of coordinated manipulation for two redundant robots   |
| <b>Z. Huang, Y. S. Zhao,<br/>J. Wang and J. J. Yu</b>                           | 1171 | Kinematic principle and geometrical condition of general-linear-complex special configuration of parallel manipulators   |
| <b>Ö. Köse</b>  | 1187 | A method of the determination of a developable ruled surface   |
| <b>S. Mitsi</b>   | 1195 | Position analysis in polynomial form of planar mechanisms with a closed chain of the Assur group of class 4.<br>L'analyse de position sous forme polynomiale des mecanismes plans avec une chaine fermee du groupe d'Assur de 4-eme classe |
| <b>Mansour A. Karkoub,<br/>Osama E. Gad and<br/>Mahmoud G. Rabie</b>            | 1211 | Predicting axial piston pump performance using neural networks   |
| <b>M. Çelik</b>   | 1227 | Comparison of three teeth and whole body models in spur gear analysis  |
| <b>L. Püst, F. Peterka,<br/>G. Stépán,<br/>G. R. Tomlinson and<br/>A. Tondl</b> | 1237 | Nonlinear oscillations in machines and mechanisms theory   |

- |   |      |   |
|---|------|---|
| <b>M. Yashima and<br/>H. Yamaguchi</b>                    | 1255 | Control of whole finger manipulation utilizing frictionless sliding contact—theory and experiment     |
| <b>Tie-Shi Zhao,<br/>Yong-Sheng Zhao and<br/>Z. Huang</b> | 1271 | Study on adaptability of a sea crab and its bionics mechanism model                                   |
| <b>Zhao-Hui Jiang and<br/>A. A. Goldenberg</b>            | 1281 | Task space trajectory control of flexible micro-macro robot in the presence of parametric uncertainty |
| <b>Zhao-Hui Jiang and<br/>A. A. Goldenberg</b>            | 1303 | Dynamic compensability and compensability measure for robot systems with structural flexibility       |

